

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Date/Time: 2/18/04 / 1000

Site Contact(s): Steve McNitt, Randy Leitner, and David Ward
Phone: 303-966-5383, 303-966-3537, 303-966-5938

Regulatory Contact: Denise Onyskiw
Phone: 303-692-3371

Agency: CDPHE

Purpose of Contact: Discuss the removal and disposition of the B374 spray dryer (W803), room 4812 and associated equipment.

Discussion

B371/374 personnel met with Denise Onyskiw to discuss the removal and disposition of the B374 spray dryer (W803), Room 4812 penthouse, and the associated equipment that is located outside the northeast corner of Building 374. Room 4812 is an elevated shed with a poured concrete floor and sheet metal walls and roof. This room contains a spray dryer and misc. other equipment. There have been approximately 500 survey points taken of the room and equipment with no radiological or Be contamination detected. Prior to removal, Room 4812 will be isolated from B374. The spray dryer, room and associated equipment will be lowered to the ground, dismantled and disposed as SCO waste. Air sampling will take place during the removal. Ms. Onyskiw agreed that this approach was appropriate.

Contact Record Prepared By: Steven B. McNitt

Required Distribution:

M. Aguilar, USEPA
S. Bell, DOE-RFFO
B. Birk, DOE-RFFO
C. Deck, K-H Legal
D. Foss, K-H 707/776/777
C. Gilbreath, K-H 771/774
S. Gunderson, CDPHE
L. Kilpatrick, DOE-RFFO
G. Kleeman, USEPA
D. Kruchek, CDPHE

J. Legare, DOE-RFFO
R. Leitner, K-H 371/374
D. Maxwell, DOE-RFFO
J. Mead, K-H ESS
S. Nesta, K-H RISS
K. North, K-H ESS/MS
R. Schassburger, DOE-RFFO
D. Shelton, K-H ESS
C. Zahm, K-H Legal

Additional Distribution:

D. Onyskiw
J. Hindman
S. McNitt

